

FIG. 1





FIG. 2







FIG. 4

3/5



domain: Manufacturer
oneshot:
javax.microedition.sonyericsson.CoolNativefunction

level: 1
session:
javax.microedition.sonyericsson.CoolNativefunction

ca: Sony Ericsson R&D CA
session:
javax.microedition.sonyericsson.CoolNativefunction

end-entity: Sony Ericsson Core Java Team
allow:
javax.microedition.sonyericsson.CoolNativefunction

FIG. 6B

```
Security policy structure
   Domain (Manufacturer, Operator, Third party, Untrusted):
Organisation_A
      Access level (Allowed, Blanket, Session, One shot):
Function_A
      Access level (Allowed, Blanket, Session, One shot):
Function_B
   Level OID (0, 1, 2): level value
      Access level (Allowed, Blanket, Session, One shot):
Function_B
   CA (Signature of any certificate): Organisation_D
      Access level (Allowed, Blanket, Session, One shot):
Function_A
   Signature of end entity certificate: Organisation_C
      Access level (Allowed, Blanket, Session, One shot):
Function_B
Policy update
   Domain (Manufacturer, Operator, Third party, Untrusted):
Organisation_A
   Signature of end entity certificate: Organisation_C
   Validity: Not before date A; Not after date_B
   Revocation information
```




FIG. 7